WREMAC BLS Naloxone Policies and Procedures Addendum to EAFD EMS Response Guideline

(Agency Name) East Aurora Fire Department

(Effective Date) Dec. 16, 2014 per Fire Council Approval

BEMS Policy Statement 10-13 requires agencies develop written policies and procedures for

BLS Naloxone use that are consistent with state and local protocol. Agencies may use this

WREMAC sample policy or create their own policy to comply with this requirement.

- Policies and procedures for the EMS training, credentialing and continuing education;
- a. In order to meet the Training Requirement provider must:
 - i. View the State Training video or Attend a Live In-service
 - ii. Review the written material
 - iii. Attend a brief supervised practice session
- b. In order to meet the credentialing requirements, providers must:
 - i. Compete the training requirements
 - ii. Have a valid EMT-B or EMT-I certification
 - iii. Meet all WREMAC provider credentialing requirements
- c. In order to ensure our providers maintain their competency, continuing education will be provided by: (fill in agency specific information)
- 2. The agency will maintain a roster of credentialed users, and their training.
- 3. The agency will ensure an appropriate patient care record is completed for all administrations.
- 4. For the first 6 months, the agency will internally QA 100% of BLS naloxone administrations, using the WREMAC QA form, and forward to their medical director to review including appropriateness.
- 5. Naloxone kits will be maintained on the following units: (fill in agency specific information) EA Rescue #7 BLS bag will store two(2) kits (see item #7 below)
- 6. Additional Naloxone will be kept in the following location: (fill in agency specific information) No additional kits will be stored by EAFD. Rural Mtero and EA Police Dept will also be available.
- 7. Naloxone will be stored and secured in the following manner: (fill in agency specific information) Two(2) Naloxone kits will be stored in individual sealed containers. Each kit will contain: 1ea 2ml prefilled Naloxone syringe; 1ea MAD device; 1 pair gloves
- 8. Medication and administration devices will be disposed of in a sharps container after use.
- 9. All medications should be checked at least monthly to ensure they have not expired. Expired medications should be replaced immediately.
- 10. Members who do not meet the credentialing requirements for naloxone use (BLS or ALS), may not store, handle or administer naloxone.